


SOLID CARBIDE Z2 BALL NOSED.

**FRESA METAL DURO Z2 PUNTA
ESFÉRICA.**

FRESA IN MD Z2, SEMISFERICA.



Universal application.

Uso universal.

Fresatura e scanalatura, polivalente.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Steels for heat treatment
700-1200N/mm²
Aceros para tratamiento térmico
700-1200 N/mm²
Acciai per trattamento termico
700-1200N/mm²



Stainless Steel
Aceros inoxidables
Acciai inossidabili



Cast iron
Fundiciones
Ghisa



Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio



Titanium alloys
Aleaciones de titanio
Leghe di titanio


8236061	EAN	Ø	d2	L	I2	QTY	PCB
82360610100	3221910794798	1	3	39	3	1	1
82360610150	3221910794804	1.5	3	39	5	1	1
82360610200	3221910794811	2	3	39	7	1	1
82360610250	3221910794828	2.5	3	39	7	1	1
82360610300	3221910794835	3	3	39	9	1	1
82360610350	3221910794842	3.5	4	51	12	1	1
82360610400	3221910794859	4	4	51	14	1	1
82360610450	3221910794866	4.5	5	51	14	1	1
82360610500	3221910794873	5	5	51	16	1	1
82360610600	3221910794880	6	6	64	19	1	1
82360610700	3221910794897	7	8	64	19	1	1
82360610800	3221910794903	8	8	64	21	1	1
82360610900	3221910794910	9	10	70	22	1	1
82360611000	3221910794927	10	10	70	22	1	1
82360611100	3221910794934	11	11	70	25	1	1
82360611200	3221910794941	12	12	76	25	1	1
82360611400	3221910794958	14	14	89	30	1	1
82360611600	3221910794965	16	16	89	32	1	1
82360611800	3221910794972	18	18	102	35	1	1
82360612000	3221910794989	20	20	102	38	1	1
82360612200	3221910794996	22	22	102	38	1	1
82360612500	3221910795009	25	25	102	38	1	1



SOLID CARBIDE HARCUT Z2 BALL NOSED.

FRESA METAL DURO HARCUT Z2 PUNTA ESFÉRICA.

FRESA IN MD Z2, SEMISFERICA.



Universal application.

Uso universal.

Fresatura e scanalatura, polivalente.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Steels for heat treatment
700-1200N/mm²
Aceros para tratamiento térmico
700-1200 N/mm²
Acciai per trattamento termico
700-1200N/mm²



Stainless Steel
Aceros inoxidables
Acciai inossidabili



Cast iron
Fundiciones
Ghisa



Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio



Titanium alloys
Aleaciones de titanio
Leghe di titanio



8236181	EAN	Ø	d2	L	I2	QTY	PCB
82361810100	3221910823214	1	3	39	3	1	1
82361810150	3221910823221	1.5	3	39	5	1	1
82361810200	3221910823238	2	3	39	7	1	1
82361810250	3221910823245	2.5	3	39	7	1	1
82361810300	3221910823252	3	3	39	9	1	1
82361810350	3221910823269	3.5	4	51	12	1	1
82361810400	3221910823276	4	4	51	14	1	1
82361810450	3221910823283	4.5	5	51	14	1	1
82361810500	3221910823290	5	5	51	16	1	1
82361810600	3221910823306	6	6	64	19	1	1
82361810700	3221910823313	7	8	64	19	1	1
82361810800	3221910823320	8	8	64	21	1	1
82361810900	3221910823337	9	10	70	22	1	1
82361811000	3221910823344	10	10	70	22	1	1
82361811100	3221910823351	11	11	70	25	1	1
82361811200	3221910823368	12	12	76	25	1	1
82361811400	3221910823375	14	14	89	30	1	1
82361811600	3221910823382	16	16	89	32	1	1
82361811800	3221910823399	18	18	102	35	1	1
82361812000	3221910823405	20	20	102	38	1	1
82361812200	3221910823412	22	22	102	38	1	1
82361812500	3221910823429	25	25	102	38	1	1



SOLID CARBIDE Z3 BALL NOSED.

**FRESA METAL DURO Z2 PUNTA
ESFÉRICA.**

FRESA IN MD, Z3, SEMISFERICA.



Universal application.

Uso universal.

Fresatura e scanalatura, polivalente.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Steels for heat treatment
700-1200N/mm²
Aceros para tratamiento térmico
700-1200 N/mm²
Acciai per trattamento termico
700-1200N/mm²



Stainless Steel
Aceros inoxidables
Acciai inossidabili




Cast iron
Fundiciones
Ghisa




Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

8236711	EAN	Ø	d2	L	I2	QTY PCB
82367110100	3221910795825	1	3	39	3	1 1
82367110150	3221910795832	1.5	3	39	5	1 1
82367110200	3221910795849	2	3	39	7	1 1
82367110250	3221910795856	2.5	3	39	7	1 1
82367110300	3221910795863	3	3	39	9	1 1
82367110350	3221910795870	3.5	4	51	12	1 1
82367110400	3221910795887	4	4	51	14	1 1
82367110450	3221910795894	4.5	5	51	14	1 1
82367110500	3221910795900	5	5	51	16	1 1
82367110600	3221910795917	6	6	64	19	1 1
82367110700	3221910795924	7	8	64	19	1 1
82367110800	3221910795931	8	8	64	21	1 1
82367110900	3221910795948	9	10	70	22	1 1
82367111000	3221910795955	10	10	70	22	1 1
82367111100	3221910795962	11	11	70	25	1 1
82367111200	3221910795979	12	12	76	25	1 1
82367111400	3221910795986	14	14	89	30	1 1
82367111600	3221910795993	16	16	89	32	1 1
82367111800	3221910796006	18	18	102	35	1 1
82367112000	3221910796013	20	20	102	38	1 1
82367112200	3221910796020	22	22	102	38	1 1
82367112500	3221910796037	25	25	102	38	1 1



SOLID CARBIDE HADCUT Z3 BALL NOSED.



Universal application.

Uso universal.

Fresatura e scanalatura, polivalente.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Steels for heat treatment
700-1200N/mm²
Aceros para tratamiento térmico
700-1200 N/mm²
Acciai per trattamento termico
700-1200N/mm²



Stainless Steel
Aceros inoxidables
Acciai inossidabili




Cast iron
Fundiciones
Ghisa



Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio



8236261	EAN	Ø	d2	L	I2	QTY	PCB
82362610100	3221910823801	1	3	39	3	1	1
82362610150	3221910823818	1.5	3	39	5	1	1
82362610200	3221910823825	2	3	39	7	1	1
82362610250	3221910823832	2.5	3	39	7	1	1
82362610300	3221910823849	3	3	39	9	1	1
82362610350	3221910823856	3.5	4	51	12	1	1
82362610400	3221910823863	4	4	51	14	1	1
82362610450	3221910823870	4.5	5	51	14	1	1
82362610500	3221910823887	5	5	51	16	1	1
82362610600	3221910823894	6	6	64	19	1	1
82362610700	3221910823900	7	8	64	19	1	1
82362610800	3221910823917	8	8	64	21	1	1
82362610900	3221910823924	9	10	70	22	1	1
82362611000	3221910823931	10	10	70	22	1	1
82362611100	3221910823948	11	11	70	25	1	1
82362611200	3221910823955	12	12	76	25	1	1
82362611400	3221910823962	14	14	89	30	1	1
82362611600	3221910823979	16	16	89	32	1	1
82362611800	3221910823986	18	18	102	35	1	1
82362612000	3221910823993	20	20	102	38	1	1
82362612200	3221910824006	22	22	102	38	1	1
82362612500	3221910824013	25	25	102	38	1	1



SOLID CARBIDE Z4 BALL NOSED.

**FRESA METAL DURO Z2 PUNTA
ESFÉRICA.**

FRESA IN MD Z4, SEMISFERICA.



Universal application.

Uso universal.

Fresatura polivalente.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Steels for heat treatment
700-1200N/mm²
Aceros para tratamiento térmico
700-1200 N/mm²
Acciai per trattamento termico
700-1200N/mm²



Stainless Steel
Aceros inoxidables
Acciai inossidabili




Cast iron
Fundiciones
Ghisa



Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio



8236071	EAN	Ø	d2	L	I2	QTY PCB
82360710100	3221910795016	1	3	39	3	1 1
82360710150	3221910795023	1.5	3	39	5	1 1
82360710200	3221910795030	2	3	39	7	1 1
82360710250	3221910795047	2.5	3	39	7	1 1
82360710300	3221910795054	3	3	39	9	1 1
82360710350	3221910795061	3.5	4	51	12	1 1
82360710400	3221910795078	4	4	51	14	1 1
82360710450	3221910795085	4.5	5	51	14	1 1
82360710500	3221910795092	5	5	51	16	1 1
82360710600	3221910795108	6	6	64	19	1 1
82360710700	3221910795115	7	8	64	19	1 1
82360710800	3221910795122	8	8	64	21	1 1
82360710900	3221910795139	9	10	70	22	1 1
82360711000	3221910795146	10	10	70	22	1 1
82360711100	3221910795153	11	11	70	25	1 1
82360711200	3221910795160	12	12	76	25	1 1
82360711400	3221910795177	14	14	89	30	1 1
82360711600	3221910795184	16	16	89	32	1 1
82360711800	3221910795191	18	18	102	35	1 1
82360712000	3221910795207	20	20	102	38	1 1
82360712200	3221910795214	22	22	102	38	1 1
82360712500	3221910795221	25	25	102	38	1 1



SOLID CARBIDE HARD CUT Z4 BALL NOSED.

FRESA METAL DURO HARD CUT Z2 PUNTA ESFÉRICA.

FRESA IN MD Z4, SEMISFERICA.



Universal application.

Uso universal.

Fresatura polivalente.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Steels for heat treatment
700-1200N/mm²
Aceros para tratamiento térmico
700-1200 N/mm²
Acciai per trattamento termico
700-1200N/mm²



Stainless Steel
Aceros inoxidables
Acciai inossidabili



Cast iron
Fundiciones
Ghisa



Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

8236191	EAN	Ø	d2	L	I2	QTY	PCB
82361910100	3221910823436	1	3	39	3	1	1
82361910150	3221910823443	1.5	3	39	5	1	1
82361910200	3221910823450	2	3	39	7	1	1
82361910250	3221910823467	2.5	3	39	7	1	1
82361910300	3221910823474	3	3	39	9	1	1
82361910350	3221910823481	3.5	4	51	12	1	1
82361910400	3221910823498	4	4	51	14	1	1
82361910450	3221910823504	4.5	5	51	14	1	1
82361910500	3221910823511	5	5	51	16	1	1
82361910600	3221910823528	6	6	64	19	1	1
82361910700	3221910823535	7	8	64	19	1	1
82361910800	3221910823542	8	8	64	21	1	1
82361910900	3221910823559	9	10	70	22	1	1
82361911000	3221910823566	10	10	70	22	1	1
82361911100	3221910823573	11	11	70	25	1	1
82361911200	3221910823580	12	12	76	25	1	1
82361911400	3221910823597	14	14	89	30	1	1
82361911600	3221910823603	16	16	89	32	1	1
82361911800	3221910823610	18	18	102	35	1	1
82361912000	3221910823627	20	20	102	38	1	1
82361912200	3221910823634	22	22	102	38	1	1
82361912500	3221910823641	25	25	102	38	1	1

